

DRIFIRE FORTREX V2 FR Field Shirt







Specs

Product Code

• DF4-550VFS-MC-___(MultiCam)
• DF4-550VFS-OCP-___(OCP)

Made To Order Colors

Fabric / Material 5.5 oz. DRIFIRE FORTREX V2

WWW.DRIFIRE.COM 800.553.0672 DRIFIRECS@THINKNSA.COM 3/20/24

Compliance

_				
Sta	nc	łа	rd	5

- Berry Compliant
- Made in the USA

Features

Features

- Stand up collar with full button down front
- Hook and loop adjustments around the shirt sleeve cuffs for a custom fit
- Shirt contains dual bicep pockets, dual chest pockets and reinforced elbows
- Lightweight and durable fabric made with proprietary DRIFIRE FORTREX V2
- Inherent and permanent flame resistance, moisture management, and odor control
- Dries up to three times faster than cotton
- Excellent tensile and tear strengths
- Pair with the DRIFIRE FR Field Pant for entire ensemble

Product Care

- READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use chlorine bleach or detergents containing bleach. DO NOT use fabric softeners. DO NOT iron, dry clean, starch, or commercially hot press. DO NOT wring or twist the garment.
- Wash/Laundering Instructions: Remove items from the pockets and all patches along with any excess dirt or mud from the garment. Launder inside out with hook and loop engaged. Hand or machine wash cold using mild detergents. Line dry.
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundering, it is best to discontinue use of garment.

Sizing Chart

Product Care

WWW.DRIFIRE.COM 800.553.0672 DRIFIRECS@THINKNSA.COM 3/20/24

DRIFIRE* FIELD SHIRT AND PANT

JACKETS							PANTS			
SIZE	ALTER	CHEST	HEIGHT	BACK LENGTH	SLEEVE LENGTH		SIZE	ALTER	WAIST	INSEAM
XS	Short	< 33	63 - 67	28 3/4	23 1/2	1	XS	Short	< 27	26 1/2" - 29 1/2'
	Regular	< 33	67 - 71	30 1/4	24 1/2			Regular	< 27	29 1/2" - 32 1/2"
	Long	< 33	71 - 75	31 5/8	25 1/2			Long	< 27	32 1/2" - 35 1/2"
SM	Short	33 - 37	63 - 67	29 1/4	24		SM	Short	27 - 31	26 1/2" - 29 1/2'
	Regular	33 - 37	67 - 71	30 3/4	25			Regular	27 - 31	29 1/2" - 32 1/2*
	Long	33 - 37	71 - 75	32 1/8	26	1		Long	27 - 31	32 1/2" - 35 1/2*
MD	Short	37 - 41	63 - 67	29 3/4	24 1/2		MD	Short	31 - 35	26 1/2" - 29 1/2'
	Regular	37 - 41	67 - 71	31 1/4	25 1/2			Regular	31 - 35	29 1/2" - 32 1/2*
	Long	37 - 41	71 - 75	32 5/8	26 1/2			Long	31 - 35	32 1/2" - 35 1/2"
LG	Short	41 - 45	63 - 67	30 1/4	25	1	LG	Short	35 - 39	26 1/2" - 29 1/2'
	Regular	41 - 45	67 - 71	31 3/4	26			Regular	35 - 39	29 1/2" - 32 1/2"
	Long	41 - 45	71 - 75	33 1/8	27			Long	35 - 39	32 1/2" - 35 1/2"
XL	Short	45 - 49	63 - 67	30 3/4	25 1/2		XL	Short	39 -43	26 1/2" - 29 1/2'
	Regular	45 - 49	67 - 71	32 1/4	26 1/2			Regular	39 -43	29 1/2" - 32 1/2"
	Long	45 - 49	71 - 75	33 5/8	27 1/2			Long	39 -43	32 1/2" - 35 1/2*
2X	Short	> 49	63 - 67	31 1/4	26			Short	> 43	26 1/2" - 29 1/2'
	Regular	> 49	67 - 71	32 3/4	27	1	2X	Regular	> 43	29 1/2" - 32 1/2*
	Long	> 49	71 - 75	34 1/8	28	1		Long	> 43	32 1/2" - 35 1/2"



WWW.DRIFIRE.COM 800.553.0672 DRIFIRECS@THINKNSA.COM 3/20/24